



*Specialized Trauma Treatment –*

Trauma-integrated Care and Treatment:  
Bridging the Gap



RECOVERY  
HEALTHCARE

## DEFINING TRAUMA

Trauma is a common contributing factor and symptom of substance use disorders and mental health conditions. The correlation between trauma and these conditions is so strong that the treatment of trauma has become one of the most significant advances in the field of addiction treatment. Traumatic life experiences and the way we internalize their effects can fundamentally change the way we think and behave. Trauma is a personal experience. The same experience may be considered highly traumatic to one person, but non-traumatic to another. A multifaceted set of personal beliefs, experiences, and environmental conditions determine whether we perceive experiences as traumatic or not. Trauma is also perceived as a matter of degrees. Events, like armed conflict experiences, assaults, major accidents, and sexual violence produce a significant traumatic response from most people. However, many everyday negative experiences can also cause people to experience trauma. People may suffer from unaddressed trauma without ever having experienced a single major physical event.

Trauma does not discriminate. People from all walks of life—different ages, genders, socioeconomic groups, race, ethnicity, geographic location, and sexuality—can and do experience trauma.

## TYPES OF TRAUMA

There are many types of trauma that a person can experience. Some of these events would result in trauma for most all, however, there are also some experiences that may be traumatic for one person but not another. **Events that are generally considered to be traumatic for most are:**

- Childhood neglect
- Emotional, physical, sexual abuse
- A family member with a mental health issue
- A family member with an alcohol or substance use disorder
- Sudden death of a loved one or separation from a loved one or family member
- Community violence
- Natural and human-driven disasters
- Poverty and discrimination

## TRAUMA'S IMPACT ON SUBSTANCE USE AND MENTAL HEALTH CONDITIONS

Trauma plays a foundational role in the development of addictive behaviors and co-occurring mental health conditions because untreated traumatic events can create negative self-perceptions from which we feel the need to escape through self-medication. Whether a combat veteran unable to process her negative experiences, or a father who has not acknowledged his own childhood sexual assault and is now experiencing symptoms while raising his own child; one's inability to address, process, and treat the impressions of negative experience can perpetuate profoundly negative and persistent thinking about one's safety and worldview. Identifying and treating the traumatic life experiences that may trigger self-medication and mental illness is an essential part of effective treatment.

## WHO SUFFERS FROM TRAUMA

Like substance use disorders and mental health conditions, anyone can suffer from trauma and it can affect everyone in different ways. Anyone can also lead a seemingly normal and productive life while suffering from undiagnosed and unaddressed trauma. Someone can be exposed to a single-related traumatic event like a car accident or endure ongoing exposure to several events starting in childhood through adulthood. Ensuring that individuals that are exposed to trauma are able to acknowledge, understand, and process their trauma is essential to good mental wellness.

**SPECIALIZED TRAUMA TREATMENT AT FUTURES IS DESIGNED TO HELP PATIENTS FOR WHOM TRAUMA PLAYS A MAJOR ROLE IN DUAL-DIAGNOSIS CONDITIONS. PATIENTS WITH TRAUMA RECEIVE MEDICAL, CLINICAL, AND WELLNESS SERVICES (IF DETERMINED BY THE MEDICAL AND WELLNESS TEAM), BUT WITH AN INTENSIFIED AND SPECIALIZED FOCUS ON TRAUMA-SPECIFIC THERAPIES. SPECIALIZED TRAUMA THERAPIES INCLUDE: EYE MOVEMENT DESENSITIZATION AND REPROCESSING (EMDR), DIALECTICAL BEHAVIORAL THERAPY (DBT), ACCELERATED RESOLUTION THERAPY (ART), AND A TRAUMA-SPECIFIC PROGRAM CALLED SEEKING SAFETY.**

## SEEKING SAFETY

Seeking Safety is an evidenced-based treatment model that treats co-occurring issues to include PTSD and substance use. Like DBT, Seeking Safety focuses on the present so they can move forward versus traditional modalities used to treat trauma where they focus on the past. The goal is to create coping skills that they can use in the present moment to create a safe space. Seeking Safety is effective in both individual and group settings.

### **Seeking Safety Goals:**

Reduce trauma and/or substance use symptoms and increase safe coping skills in their relationships, their thinking, their behavior, and emotions.

### **Topics covered in Seeking Safety:**

- Self-awareness in recovery
- Red flags / green flags
- Compassion vs harshness
- Skills, drill and coping skills
- Asking for help



## DIALECTICAL BEHAVIOR THERAPY (DBT)

DBT is an evidence-based approach which focuses on someone developing a life worth living by learning skills and tools to deal with interpersonal issues, emotional dysregulation and stress. **Effects of trauma can show up in several forms:** low-self-esteem, increased depression and anxiety, substance use issues, impulsivity and self-harm, difficulty sleeping, flashbacks, guilt, shame and self-blame. DBT work maintains a treatment hierarchy of addressing: high risk behaviors to include suicidal thoughts and intent, self-harm, substance use, behavior affecting engagement with therapy and reviews current behaviors that affect the quality of life.

### DBT Goals:

- DBT is an effective treatment for people who have difficulty controlling their emotions and behaviors.
- DBT aims to reduce problem behavior and increase skillful behavior.
- DBT helps people learn how to understand and value themselves and others.



## EMDR

EMDR is a trauma based treatment modality that focuses on opening up neurotransmitters in the brain to address past and current issues. The goals are to target past experiences, current triggers and future potential challenges. EMDR is used in the treatment of trauma, as well as those with chronic pain. EMDR is typically offered in a 1:1 setting to help promote safety of reprocessing memories, however certain EMDR principles can be brought into the group setting such as: The Four Elements which helps promote grounding when in the Fight or Flight mode, feeling anxious, dealing with stress triggers.



## ACCELERATED RESOLUTION THERAPY

ART (Accelerated Resolution Therapy) is a therapeutic technique that combines guided visualization with rapid eye movements to help patients process and reframe traumatic memories. By engaging both the mind and body, ART allows individuals to revisit painful memories without the intense emotional reactions typically associated with them. ART helps reduce the emotional impact of trauma, providing patients with a sense of relief and empowerment as they work through their past experiences in a more balanced and manageable way. This evidence-based therapy offers a fast, effective solution for those seeking to overcome the lasting effects of trauma.







701 OLD DIXIE HWY  
TEQUESTA, FL 33469  
ADMISSIONS: 855.HOPE.300

[futuresrecoveryhealthcare.com](http://futuresrecoveryhealthcare.com)

**855-278-6664**

ACCREDITED BY  
THE JOINT COMMISSION



PROUD SUPPORTERS OF



**Treatment Professionals  
in Alumni Services**  
Recovery through Collaboration